

Sump Pump Brochure

Liberty Pumps[®]

A Family and Employee Owned Company


Performance

Gool Running or Cast Iron Construction?





Where's the beef? It's in our model 257. The classic 1/3 hp sump pump is loaded with features. Combine a one-piece cast iron body with advanced VMF switch technology and you have a winning combination. All the weight, performance and features of a true classic. Put it in your pit and forget it.



Want efficiency? Get off the amps! Liberty Pumps sump pumps feature PSC (permanent split capacitor) motors with lower amp draw. This motor style, combined with efficient impeller and hydraulic design, gives Liberty Pumps the advantage when it comes to reducing power consumption but not performance. Up to 40% less electrical usage compared to other designs of the same horsepower. Multiply that by the number of times your pump may cycle – and you could have some serious savings on that electric bill!







1/3 hp 1-1/2" Discharge 3/8" Solids handling

A high performance submersible with deep finned aluminum housing for superior motor cooling.

Features

- Energy efficient motor only 5.2A
- Finned aluminum motor housing for improved cooling

- Powder coated for corrosion resistance
- Permanently lubricated upper and lower bearings
- Vortex-style impeller reduces clogging by foreign materials
- Quick-connect power cord
- Oil-filled thermally protected motor



Also available with wide-angle/ piggyback float switch



1/3 hp 1-1/2" Discharge 1/2" Solids handling

Liberty Pumps best-selling sump pump provides rugged cast iron construction with solid performance. A true classic.

Features

- Energy efficient motor only 5.2A
- Oil-filled motors with thermal overload protection
- Vortex-style impellers reduce clogging by foreign materials
- Quick-connect power cord

Features Liberty Pumps unique "uni-body" casting, a one-piece cast iron housing that eliminates the motor seal ring.



Also available with wide-angle/ piggyback float switch



Classic Cast Iron.

S30-Series

240-Series

1/3 hp

1-1/2" Discharge

A competitively priced 1/3 hp sump pump with higherpriced pump features!



Features

- Oil-filled motor with thermal overload protection
- Vortex-style impeller reduces clogging by foreign materials
- Dual bearing design
- Higher inlet ports reduce potential for debris to enter pump

Model S37

Vertical float switch

Model S37-P

Vertical float switch with piggyback series plug

Model S38

Wide-angle float switch with piggyback series plug

1/4 hp

1-1/2" Discharge

At 22 lbs – the 240-Series is the heaviest built 1/4 hp pump on the market! Rock solid and dependable, this series combines heavy construction with an attractive price.

Features

- Oil-filled motors with thermal overload protection
- Vortex-style impeller reduces clogging by foreign materials

Features Liberty Pumps unique "uni-body" casting, a one-piece cast iron housing that eliminates the motor seal ring.





Model 247 Shown

Also available with wide-angle/ piggy back float switch

Model S37 Shown



280-Series

1/2 hp 115V 1-1/2" Discharge 3/8" Solids handling

Built like our cool running 230-Series but with more horsepower, the 450-Series features an efficient 1/2 hp motor – providing more gallons per minute and higher pumping head.



Features

- Energy efficient motor only 7.5A
- Finned aluminum motor housing for improved cooling
- Powder coated for corrosion resistance
- Permanently lubricated upper and lower bearings
- Vortex-style impeller reduces clogging by foreign materials
- Quick-connect power cord
- Oil-filled thermally protected motor



Also available with wide-angle/ piggyback float switch

1/2 hp 115V 1-1/2" Discharge 3/4" Solids handling

Take our classic 1/3 hp cast iron pump - add some more horsepower, and you have the 280-Series. Heads to 37 feet and flow rates to 68 GPM, the 280-Series is a solid choice for applications requiring more performance.

Features

- Oil-filled motors with thermal overload protection
- Vortex-style impellers reduce clogging by foreign materials

Features Liberty Pumps unique "uni-body" casting, a one-piece cast iron housing that eliminates the motor seal ring.

208-230V models available



Also available with wide-angle/ piggyback float switch





Model 457 Shown

3/4 hp 1-1/2" Discharge 3/4" Solids handling

King of the sump pump class, the 290-Series combines huge pumping performance with heavy construction. With maximum flows to over 80 GPM, this series will handle your worst water problems.



Features

- Quick-connect power cord
- Oil-filled thermally protected motor
- Permanently lubricated bearings
- Stainless steel fasteners and rotor shaft
- Vortex-style impeller

Features Liberty Pumps unique "uni-body" casting, a one-piece cast iron housing that eliminates the motor seal ring.

208-230V models available



Also available with wide-angle/ piggyback float switch

SMART ALARMS.


ALM-EYE SERIES

Intelligent pump monitoring and alarm notifications sent to your smart device - anywhere in the world.





Sump Pump Performance Curves




60 Hz

7 different series to choose from

For complete product specifications for pumps listed in this brochure, consult the Liberty Pumps website at www.LibertyPumps.com

Model Selection



115



237

Poly and Finned Alum.

í	250-Series								
í	251	Cast Iron	1/3	115	5.2	1-1/2"	Wide-angle (integral float switch)	14"	
2	253	Cast Iron	1/3	115	5.2	1-1/2"	Wide-angle (piggyback plug)	14"	
) 2	257	Cast Iron	1/3	115	5.2	1-1/2"	VMF Vertical Magnetic Float	10"	

1-1/2"

VMF Vertical Magnetic Float

5.2

MIN. PIT

DIAMETER

14"

14"

10"

14"

14"

14"

14"

14"

10"

\circ	MODEL	CONSTRUCTION	НР	VOLTS	AMPS	DISCHARGE	FLOAT SWITCH STYLE	MIN. PIT DIAMETER	
	450-Series								
	451	Poly and Finned Alum.	1/2	115	7.5	1-1/2"	Wide-angle (integral float switch)	14"	
	453	Poly and Finned Alum.	1/2	115	7.5	1-1/2"	Wide-angle (piggyback plug)	14"	
the land of	457	Poly and Finned Alum.	1/2	115	7.5	1-1/2"	VMF Vertical Magnetic Float	10"	
	280-S	eries							
	281	Cast Iron	1/2	115	8.5	1-1/2"	Wide-angle (integral float switch)	14"	
	283	Cast Iron	1/2	115	8.5	1-1/2"	Wide-angle (piggyback plug)	14"	
	287	Cast Iron	1/2	115	8.5	1-1/2"	VMF Vertical Magnetic Float	10"	
	290-Series								
	291	Cast Iron	3/4	115	10.4	1-1/2"	Wide-angle (integral float switch)	14"	
	293	Cast Iron	3/4	115	10.4	1-1/2"	Wide-angle (piggyback plug)	14"	
	297	Cast Iron	3/4	115	10.4	1-1/2"	VMF Vertical Magnetic Float	10"	

Many pump options available including manual models (no float switch), longer cord lengths, and 230V models.

Consult the website or Liberty Pumps for complete product specifications.

www.LibertyPumps.com

A Family and Employee Owned Company

7000 Apple Tree Avenue Bergen, New York 14416 Phone 800-543-2550 Fax 585-494-1839 Ask about "The Brick" sump pump platform



Sold By:

www.LibertyPumps.com

Quiet Check Valves 1-1/2" & 2" QCV150, QCV200, QCV150-CL, and QCV200-CL











Specifications subject to change without notice.
Copyright © Liberty Pumps, Inc. 2024
All rights reserved.
LLIT006781 R0124

innovate. evolve